



Covid- 19 Technical Inspection Protocol and Waiver of Liability for Covid-19

This technical inspection is being held during the Covid-19 pandemic that affects all of Canada. CAMVAP is making all reasonable efforts to provide a safe environment for the technical inspection to be held. CAMVAP accepts no liability or responsibility with respect to any possible Covid-19 infection you might incur and your attendance at this technical inspection.

All persons who attend the technical inspection must complete the self-assessment below prior to the technical inspection. Should you answer YES to any of the questions as set out in the screening tool below or have any of the Covid-19 symptoms on the day prior to the technical inspection, contact the Provincial Administrator so that the technical Inspection can be rescheduled.

1. Have you travelled outside of Canada in the past 14 days?
YES or NO
2. In the last 14 days, has a public health unit identified you as a close contact of someone who currently has COVID-19?
YES or NO
3. Has a doctor, health care provider, or public health unit told you that you should currently be isolating (staying at home)?
YES or NO
4. In the last 14 days, have you received a COVID Alert exposure notification on your cell? If you already went for a test and got a negative result, select "No".
YES or NO
5. Have you had close contact with a person who has a fever, cough or shortness of breath?
YES or NO
6. Do you have any of the following symptoms:
 - a. Fever
 - b. New onset of cough
 - c. Worsening chronic cough
 - d. Shortness of breath
 - e. Difficulty breathing
 - f. Sore throat
 - g. Difficulty swallowing
 - h. Decrease or loss of sense of taste or smell
 - i. Chills
 - j. Headaches
 - k. Unexplained fatigue or muscle aches
 - l. Nausea/vomiting, diarrhea, abdominal pain
 - m. Pink eye
 - n. Runny nose or nasal congestion without other known cause?

YES or NO

Face masks or face coverings must be worn throughout the technical inspection. Where possible, meeting with the technical inspector should be done outside with physical distancing. If it is done inside a building, then physical distancing must still be maintained along with the wearing of masks.

This Protocol for the technical inspection requires that the parties and the technical inspector to do the following with respect to the inspection of the consumer's vehicle:

Prior to the Inspection

- Complete the self-assessment prior to and on the day of the technical inspection before the technical inspection begins using the screening tool as shown above. **Should you answer YES to any of the questions as set out in the screening tool above or have any of the Covid-19 symptoms prior to the technical inspection, contact the Provincial Administrator for the technical Inspection to be cancelled and rescheduled.**
- In order to facilitate sanitizing the vehicle, the person delivering the vehicle shall ensure that it is entirely free of loose objects or clutter, and that it is delivered in clean condition.

At the Inspection

- The technical inspector and all persons in attendance must wear a mask or face coverings. The technical inspector should continue to wear the face mask while inside or around the vehicle. Staff from the facility being used to conduct the inspection will maintain proper procedures in accordance with the instructions for the facility.
- The technical inspectors should maintain at least two metres distance from persons attending the technical inspection. Contact greetings and direct hand-off of keys are not permitted. Keys shall be set on a surface and picked up by the inspector from that surface.
- The technical inspection must adhere to the applicable health authority guidelines published by the provinces respective public health officials.
- If there are more than one party at the inspection, it is the party's responsibility to maintain proper physical separation.
- The technical inspector shall be responsible for the sanitization in accordance with the steps set out below. Disinfection of the vehicle, which shall be conducted before the inspection begins. Sanitization of the vehicle may be done by the technical inspector or staff from the facility where the technical inspection is to be conducted.
- Prior to any interior inspection or test drive, the inspector or staff from the facility conducting the inspection shall open all of the vehicle's doors, and leave them open for a reasonable period of time, while the vehicle is outdoors, in order to allow for the thorough ventilation of the vehicle
- **Road tests will be restricted to the technical inspector only. No other participants may be present in the vehicle during the technical inspection. For the consumer and manufacturer, please note, it will be your responsibility to have a location to go to where you can wait for completion of the inspection. The facility at which the inspection starts or commences may not have available space for you to wait.**
- On the conclusion of the inspection, the inspector or the facility conducting the inspection must sanitize and disinfect any areas of the vehicle he or she has interacted with, using the post-technical inspection sanitization procedures listed under the next heading.

Post-technical inspection sanitization requirements

The technical inspector or facility at which the inspection is being conducted must sanitize the following before and after the inspection:

- The consumer's key and key fob
- The steering wheel and column
- The wiper and indicator levers
- The centre consoles
- Cup holders and compartments
- Seat belts, seat adjusters, seat surfaces and seat pockets
- Dashboard and touchscreens
- Instrument/accessory panels
- Gear shift selector/dial
- Door interiors and pockets
- Door Handles (interior and exterior)
- Mirrors
- Any other frequently touched items
- Following any interior inspection or test drive, the inspector shall open all of the vehicle's doors, and leave them open for a reasonable period of time, while the vehicle is outdoors, in order to allow for the thorough ventilation of the vehicle.
- These requirements for pre- and post-inspection sanitization are minimum requirements only and are subject to any additional reasonable requirements set by the inspector.